



## KE22



### TECHNISCHE INFORMATIE

Flow (L/min)	37
Flow (US Gpm)	9,8
Rotation regime (rpm)	1450
Pressure (MPa)	25
Pressure (bar)	250
Pressure (psi)	3630
Power (hp)	25
Power (kW)	18,4
Overall dimensions L x l x h (mm)	387x340,5x208
Weight (kg)	37



Documenten

Male shaft (key) - GAS

---



## Illustratie Male shaft (key) - GAS

Pos.	Code	Omschrijving	Aant. Notities
KIT2158	34215801	KIT 2158*CONROD BUSHINGS +0,50	1
KIT2157	34215701	KIT 2157*CONROD BUSHINGS +0,25	1
KIT2156	34215601	KIT 2156*CONROD BUSHING	1
KIT2005	34200501		1
KIT2004	34200401		1
KIT2001	34200101		1
KIT2000	34200001		1
99	97595000		1
98	70150101		1
80	99426600	VITE TE M12X25-UNI5739 ZINC.	1
79	71223074	STAFFA DI SOLLEVAMENTO	1
64	98204700		3
61	36713301		3
60	36713401		3
59	90386500	O-RING 29,82X2,62 (3118)	12
58	36210151		6
57	90352800	O-RING D. 29.00x1.50 NBR 70SH	3
56	99192500	SCREW M06X35 5931 A2-70	6
55	70050266	PISTON GUIDE ROD	3
53	90910000	CONROD BUSHING (SMALL END) S.70	3
52	90922300	LOWER HALF CONROD BUSHING (BIG END) S.70	3
52	90922500	LOWER HALF CONROD BUSHING +0.50 (BIG END) S.70	3
52	90922400	LOWER HALF CONROD BUSHING +0.25 (BIG END) S.70	3
51	90922000	UPPER HALF CONROD BUSHING (BIG END) S.70	3
51	90922200	UPPER HALF CONROD BUSHING +0.5 (BIG END) S.70	3
51	90922100	UPPER HALF CONROD BUSHING +0.25 (BIG END) S.70	3
50	71225951	PLUG CAP	3
49	70222551	CRANKCASE PLUG	6
48	70030501	CONNECTING ROD COMPLETE	3
47	99381600	SCREW M10X110 UNI5931 8.8	8
46	90517800		6
45	94739700		3
44	36203866		6
43	36209966		6
42	94740100		3

## Illustratie Male shaft (key) - GAS

Pos.	Code	Omschrijving	Aant. Notities
41	36213805		6
40	70211570		6
39	90518000	ANTI-EXTR.RING D.32.4X36.5X1.5	6
38	99367100		14
37	70210036		2
36	70100151		3
35	90272500	PACKING 22x35	3
34	90273000	RESTOP RING D.22 TYPE 6/1	3
33	70216170		3
32	90271300		3
31	70080170		3
30	90362600	O-RING D. 50,52X1,78 (2200)	3
29	70120136		1
28	70224136	PISTON BOLT	3
27	90358400	O-RING D.10,82X1,78(2043)90SH3	
26	70040109		3
25	96709900	WASHER D.10X45	3
24	90167700	OIL SEAL D.36X47X7	3
23	97742000	GUDGEON PIN D.18X36	3
22	70050115	PISTON GUIDE T.N.	3
21	70606801	PISTON GUIDE ASSY	3
20	90166800	OIL SEAL D.35X52X7	1
19	70150022	BEARING COVER (PTO SIDE)	1
18	91490000	KEY 8h9X7X70 UNI 6604/A	1
17	70020035		1
16	99312300	CONN.ROD BOLT M8X1X42	6
15	98200500	PLUG D. 15	5
14	90394200	OR D.190.17X2.62 NBR 70SH	1
13	70160022		1
12	98211500	OIL DIPSTICK D.21,5X70	1
11	98210050	PLUG G3/8x13 TE22	1
10	90383300	O-RING 13,95X2,62 (3056)	1
90	90358500	O-RING 10,82X1,78 (2043)	3
9	99185400	SCREW M6X16 UNI 5931 8.8 Z.	20
8	70150122	BEARING COVER (OIL GLASS SIDE)	1
7	90387700	O-RING 39,34X2,62 (3156)	1
6	70211801	OIL SIGHT GLASS	1
5	90075600	CIRCLIP D.45 (ZJ45)	1
4	70220381	SHIM 0.25 MM.	1
4	70220081	SHIM 0.1 MM.	1

## Illustratie Male shaft (key) - GAS

---

Pos.	Code	Omschrijving	Aant. Notities
3	90391500	O-RING D. 80.6X2.62 (3318)	2
2	91847700	TAPER ROLLER BEARING 33207/Q	2
1	70010022	CRANKCASE	1